

KODIAK 900 SPEC SHEET






WEIGHTS, PERFORMANCE, & RANGE

WEIGHTS & LOADING Max Ramp Weight Max Takeoff Weight Base Aircraft Empty Weight Base Aircraft Useful Load Fuel Capacity Max Wing Loading Max Power Loading		8,100 lbs 8,000 lbs 4,470 lbs 3,630 lbs 322 gal 33.3 lbs/ft² 8.89 lbs/hp	3,674 kg 3,629 kg 2,028 kg 1,647kg 1,219 L 162.58 kg/sm 4.03 kg/hp
PERFORMANCE Stall Speed Vs1 (flaps up) Stall SPeed Vs0 (flaps down) Rate of Climb (max cont at SL) Rate of Climb (10,000 ft) Takeoff Groundroll Landing Ground Roll Certified Ceiling		78 kcas 65 kcas 1,724 fpm 1,273 fpm 1,015 ft 1,460 ft 25,000 ft	525 mpm 388 mpm 309 m 445 m 7,620 m
RANGE AND ENDURANCE (includes 45 min reserve, ISA)			
Max Cruise 210 ktas, 12,000 ft (3,658 m) Flight Time	4.3 hrs	969 nm	1,794 km
Max Range Cruise 156 ktas, 12,000 ft (3,658 m) Flight Time	6.8 hrs	1,129 nm	2,091 km
Max Endurance 102 ktas, 12,000 ft (3,658 m) Flight Time	9.2 hrs		


SOURCE: Kodiak 900 Pilot's Operating Handbook








DIMENSIONS & SPECIFICATIONS





45.0 ft/13.7 m



FUSELAGE Cabin Width Cabin Height Cabin Length Cargo Volume Overall Length Seats Doors Door Sill Height Cargo Door Height Cargo Door Width	54 in 57 in 227 in 309 cu ft 37.7 ft 1-10 3 45 in 49.25 in 49.25 in	1.37 m 1.45 m 5.76 m 8.75 cu m 11.4 m 1-10 3 1.14 m 1.25 m
FLIGHT SURFACES		
Wing Area	240 ft ²	22.3 m ²
Span	45 ft	13.72 m
Dihedral	3°	
Flap Type	Fowler	Single-slotted
Horizontal Span	20.3 in	6.19 m
Overall Height	16.1 ft	4.9 m
PROPELLER		
Diameter	97 in	2.46 m
Clearance	15.4 in	39.11 cm
LANDING GEAR (Fixe Main Gear 8.5 x 10, Cle Nose Gear 6.5 x 8, Cle		
POWERPLANT		
Pratt & Whittney PT6A-		
Takeoff Power	900 hp	
Max Continuous Power		

SOURCE: Kodiak 900 Pilot's Operating Handbook



DAHER AEROSPACE
MANUFACTURER OF THE KODIAK 10-SEAT STOL TURBOPROP
1200 TURBINE DRIVE SANDPOINT, IDAHO 83864 USA
866.230.7417 KODIAKSALES@DAHER.COM WWW.KODIAK.AERO #FLYKODIAK